

LED line LITE

Code: 206960

EAN: 5905378206960

Road luminaire FLAMINGO 4000K 30W
3000lm IP65 grey LITE twilight sensor



FLAMINGO 30W 4000K is a modern lighting element, providing a light stream of 3,000 lumens. It is characterized by energy efficiency class E and high resistance to atmospheric factors due to IP65 leak class. The integrated dusk sensor automatically activates the setting at 50 lux and shuts down at 500 lux.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 30 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	08
IEC protection class	I
Luminous efficacy	100
Luminous flux	3000
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
ULOR	0 %
Wyniki tłumaczenia Functional description of the daylight sensor [LUX]	50 lx: ON, 500 lx: OFF

Parameter	Value
Wire length	300 mm
Mounting type	mixed
Frequency of the supply voltage	50/60Hz
Beam angle	140 x 70
Sensor type	Crepuscular
LED type	SMD LED
LED quantity	48
Power Factor	0,9
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25÷50
For indoor use	Outside
Length	424 mm
Width	108 mm
Height	84 mm
Weight	0,65 kg
Colour	Grey
Material (housing)	Aluminium
Material (cover)	Polycarbonate


LED line LITE

Code: 206960


EAN: 5905378206960

Road luminaire FLAMINGO 4000K 30W
3000lm IP65 grey LITE twilight sensor

Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	424 mm
Height	108 mm
Length	89 mm
Weight	0,78 kg



Bulk packaging

Quantity	20
Width	450 mm
Height	430 mm
Length	470 mm
Volume	0,090 m3
Weight	16 kg



Europallet

Quantity	160
Height	1800 mm
Quantity in layer	
Number of layers	4
Bulk quantity	8
Weight	160 kg

LED line LITE

Code: 206960

EAN: 5905378206960

**Road luminaire FLAMINGO 4000K 30W
3000lm IP65 grey LITE twilight sensor**

Example application