

LED line PRIME

Code: 210202-LAW3HAT

EAN: 5905378220935

RANGER 3CCT 3K/4K/5K 10-40W 6000lm
IP66 120cm gray PRIME emergency
module LAW 3h AT



The hermetic fixture RANGER 10-40W CCT 6000lm 120cm IP66 PRIME is the ideal solution for demanding users, providing high luminous efficiency at a level of 150 lm/W. It features a durable polycarbonate housing and an IP66 protection rating, which guarantees resistance to water and dust.

Version with emergency module 3h + Autotest.

Product made to order - delivery within 4 days.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	10-40 W
Voltage	220-240 V AC
Correlated colour temperature	3000 K 4000 K 5000 K
Colour of the light	CCT
Colour rendering index Ra	80
IP protection rating	IP66
IK protection rating	10
IEC protection class	I
Luminous efficacy	150
Luminous flux	6000
The lumen maintenance factor	96
Lifetime L70B50	100 000 h
Emergency module test	AUTO TEST
Frequency of the supply voltage	50/60Hz

Parameter	Value
Beam angle	120
LED type	SMD2835
LED quantity	312
Power Factor	0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-25÷45
Length	1210 mm
Width	80 mm
Height	69 mm
Weight	1,76 kg
Battery life	3 h
Colour	Grey
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate
Emergency module	YES


LED line PRIME

Code: 210202-LAW3HAT


EAN: 5905378220935

RANGER 3CCT 3K/4K/5K 10-40W 6000lm
IP66 120cm gray PRIME emergency
module LAW 3h AT

Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	83 mm
Height	82 mm
Length	1215 mm
Weight	1,95 kg



Bulk packaging

Quantity	12
Width	316 mm
Height	273 mm
Length	1232 mm
Weight	28,7 kg



Europallet

Quantity	144
Height	1500 mm
Quantity in layer	
Number of layers	
Bulk quantity	12
Weight	369 kg

LED line PRIME

Code: 210202-LAW3HAT

EAN: 5905378220935

**RANGER 3CCT 3K/4K/5K 10-40W 6000lm
IP66 120cm gray PRIME emergency
module LAW 3h AT**

Example application